



Revolutionize your lifestyle with water

Change your water... **change** your **body**
Eco-friendly daily water

High performance with seven electrode plates

Equipped with a built-in electrolysis enhancer tank

You will be prompted by a voice and large LCD display

The power of Kangen water preserves
your body and the environment !

Leveluk^{SD} 501

Continuous Ionized Electrolysis Water Generator

Approved as a Medical Device by the Japanese Ministry of Labor and Welfare.



FIVE TYPES OF WATER MAK

Sanitary water

Cleaning and disinfecting power

Excellent disinfecting power

Strong acidic water has excellent disinfecting power that can prevent food poisoning. Use it to clean and sterilize your produce meat, and cookware.

- To sanitize your knives, cutting boards and dish towels
- To disinfect the hand
- To disinfect your toothbrushes or to brush your teeth with
- To clean your skin
- To remove tea incrustations



Strong Acidic Water

below pH2.7 ⚠️*not suitable for drinking

STRONG ACID button **push** from the **secondary hose**

Concurrently, Strong Kangen Water will be released from the flexible pipe.

Environment-friendly water

Cleaning power

It effectively dissolves and cleans materials.

Super-swelling effect

It softens materials quickly.

Dissolving effect

It has the ability to dissolve and draw out substances.

Thermal conduction

It reduces boiling time.

Strong kangen water, which is certainly water but has a strong cleaning effect as a detergent, preserves hygiene in your daily life.

- To clean cutting boards, knives, and dishes.
- To sterilize vegetables, meat, and fresh fish.
- To remove slime and stains on floor.
- To remove stains from toilet.
- To remove spots from coffee, soy sauce.
- To use for washing clothes in order to reduce the consumption of detergent.
- To remove the harshness of wild plants such as bamboo shoots, brackens or flowering ferns.

Strong Kangen Water

over pH11.0 ⚠️*not suitable for drinking

STRONG ACID button **push** from the **flexible pipe**

Concurrently, Strong Acidic Water will be released from the flexible pipe.



* It will be still more effective to clean with strong acidic water after cleaning with strong kangen water.

NG YOUR BODY, YOUR LIFE, AND YOU

Healthy water

swelling effect

It has the power to soften substances.

Dissolving effect

It has the ability to draw out substances more readily.

Thermal conduction

It reduces boiling time.

Kangen water makes your drinking water and dishes more flavored.

- **To cook rice**

Use it for washing & cooking.

The result is delicious and fluffy rice.

- **With coffee, tea, or green tea**

For which taste and aroma are everything, you will be surprised at the improved color, taste, and aroma. And you can use less coffee, tea, or green tea, and still achieve a full rich taste due to its extractive ability.

- **With other strongly acidic foods**

Drink Kangen Water together when eating strongly acidic foods such as meat, egg yolks, the alkaline water will help your body balance the acidic effects of those foods.

Others; Use making soup and beans.

- **In soups and stews**

Kangen Water draws out the flavor of ingredients so they tender and juicy. Therefore, less seasoning such as salt and soy sauce are needed, and in is perfect for people trying to reduce their salt intake.

- **Use for washing vegetables**

Use Kangen Water to remove rawness of onions, bamboo shoots, burdock, or the like.

Kangen Water

pH8.5-10.0 suitable for drinking

KANGEN button **push** from the **flexible pipe**

Concurrently, Acid Water will be released from the secondary hose.



What to know about Strong Acidic water, Strong Kangen Water

What is Strong Acidic Water?

Strong Acidic Water is a kind of electrolyzed water with electrical potential that contains hypochlorous acid produced at the anode when an electrolysis enhancer is added to the original water and electrolysis occurs, but it is not a strongly acidic chemical substance. In general, the pH is below 2.7, and the ORP is over 1,100mV.

What is Strong Kangen Water?

Strong Kangen Water is a kind of electrolyzed water with electrical potential that contains sodium hydroxide produced at the cathode when an electrolysis enhancer is added to the original water and electrolysis occurs, but it is not a strong alkaline chemical substance. In general, the pH is over 11.0, and the ORP is between -700mV and -850mV.

※What is ORP (Oxidation Reduction Potential) ?

It is a value that shows the proportion of oxidizing ions (such as chloride ion) and reduction ions (such as calcium ion) in a substance that takes the form of solution. If this value is shown as minus as compared with the reference value, this substance reduces other substances, and can easily be oxidized. If this value is shown as a plus compared with the reference value, the substance oxidizes others and it can be easily reduced. The unit is most often shown in mV(milivolt), and it is used as an index that shows the development of chemical reactions.

R ENVIRONMENT BEAUTIFUL

Water for beauty

Astringency

It has the power to tighten substances.

Cleaning power

It has the power to purify substances.

Weak acidic water used for beauty

Acidic water is known to effectively tone your skin. It helps to tone your skin after a bath or shower, or to help close your pores after washing your face.

In boiling pasta and batters for fried foods

All types of noodles and pasta will have a nice sheen and firm texture. It will also enhance the crispiness of fried foods.

For cleaning water

You can remove stains on dishes, cups, glasses, and tiles more easily.

Acidic Water

pH4.0-6.0 ⚠️*not suitable for drinking

ACID button  from the flexible pipe

Concurrently, Kangen Water will be released from the secondary hose.



Water of security

When taking medication or in baby formula

The three-layered, high-powered, water-cleaning filter removes not only chlorine but also matters such as rust, impurities, and lead, and you will obtain delicious, clean water that contains needed minerals. Don't forget to use clean water when you prepare your baby's formula or when you take medication.

Clean water

pH7.0 suitable for drinking

CLEAN WATER button  from the flexible pipe

Concurrently, the secondary hose also clean water, but please use the water released from the flexible pipe.



It has **seven electrode plates** to ensure sufficient power.
It is **easy to use** and compactly designed.


Point

1

The electrolytic cell is equipped with **seven electrode plates**, which is powerful and yet compact in design.

It is possible to produce an ample amount of electrolyzed water with the ORP value in the range of +1130mV and -800mV. This design is made possible by loading an electrolytic cell with seven electrode plates that use electrodes made of platinum plated titanium. (Depending on the choice of resulting water and original water)

The Kangen water contains a lot of hydroxide ions (OH-) and positive ions (such as calcium ions) produced by electrolysis, and it also contains hydrogen.




Point

2

Equipped with an electrolysis enhancer tank
Strong Acidic Water and Strong Kangen Water produced steadily and continuously.

The built-in tank for the electrolysis enhancer makes easily to putt in the electrolysis enhancer which is necessary to obtain strong acid water and strong kangen water, and allows you to produce both kinds of water steadily and continuously.

An injection of electrolysis enhancer (0.93pt) produces around 7.93 gallons of strong acidic water in around thirty minutes (this figure depends on the water quality).



Point

3


You will be notified by a large-sized liquid crystal display (LCD) and the voice prompted guide.

Easy to use one-touch panel.

A clear, large-sized LCD and the voice prompts will inform you of the type of water being produced (kangen water, acidic water, strong acidic water*, or clean water) and necessary information.

The operation is very easy, because you only need to touch a button to power up or down or to select the type of water you would like to obtain.



* When you push the button for strong acidic water, the secondary hose releases strong acidic water and the flexible pipe releases strong kangen water Concurrently.



The three-layered, high-powered water-cleaning filter creates delicious water

You will be able to use your water-cleaning filter until the total amount of water the filter has treated reaches around 3,000 gallons. That is to say, you can use it for six months supposing you use around 16 gallons of water per day. (This period differs depending on the quality and amount of water). You will be notified by the LCD, voice prompts, and alarm when it is time to exchange the filter.

The three-layered, high-powered water-cleaning filter removes matters such as lead, remaining chlorine (bleaching powder), effluvia, rust, and impurity, and still keeps minerals.



The diverter and adapter are included with the unit to mount on faucet.

With the one-touch convenience of the diverter, change between




ION
Clean Water



TAP
Tap water
(Straight)

■ Faucet types and diverter



■ Unit price US\$ 3,980.00(excl, tax)

【Option Items】

■ Water Filter for replacement


- Standard type for Chlorine removal MW-7000R
- Optional type for Chlorine & Lead (pb) removal MW-7000HG

■ Glycerol-phosphate Acidic Calcium (3g x 12 packs/box)

■ Electrolysis Enhancer (three bottles of 0.93pt)


■ Cleaning Filter CL-7000

■ Scale drawing (inch)



Gross Weight (wet) : 13.9lbs

Standard Specifications

MODEL NAME · NUMBER	LeveLuk SD 501 TYH-401NF	WATER FILTER	FILTERING MEDIUM		Anti-bacterial Granular Activated Charcoal & Sulfurous Acidic Calcium
WATER SOURCE CONNECTION	1-way diverter (TAP/ION) connects to end of faucet		FILTRATION ABILITY	FREE RESIDUAL CHLORINE	Total water flow : 3000 gallons or more Removal rate/ JISS3201 Test : 80%
POWER SUPPLY	AC 120V, 60Hz (with ground)			INITIAL CHLORINE REMOVAL	95% or greater
POWER CONSUMPTION	Approximately 230W (under maximum electrolysis function)		ELEMENTS NOT REMOVABLE		Metallic ions and/or salinity present in original (tap) water
SYSTEM	Continuous Ionized Electrolysis Water Generator System (with built-in flow rate sensor)		Time to exchange the filter		When the filter has treated over 3000 gallons of water (This figure depends on the quality of water)
PRODUCTION RATE (gallon(s) / minute)	Kangen Water : 1.2 ~ 2.0 gallons Acidic Water : 0.4 ~ 0.7 gallons Strong Acidic Water : 0.16 ~ 0.3 gallons		APPLICABLE WATER QUALITY AND PRESSURE		Municipally supplied drinking water: Dynamic range in 100~450 kPa
LEVEL SELECTIONS	●Kangen water / 3 levels (approx. pH8.5~9.5) ●Clean water (neutral) ●Acidic water (approx. pH5.5~6.5) ●Strong Acidic water (approx. pH2.3~2.7) /Strong Kangen water (approx. pH11.0~)		ELECTROLYSIS ENHANCER		Forced dissolving type additive system (One time addition produces approx. 1.0 ~ 1.3 gallons of Strong Acidic Water)
		ENHANCER REFILLING		Indicates by voice, buzzer and LCD	
		PROTECTOR		Current Limiter/Voltage Stabilizer/Thermal Protection	
ELECTROLYSIS CAPABILITY UNDER CONTINUOUS USE	Approx. 30 min. at normal room temperature.				
CELL CLEANING METHOD	Auto cleaning System (periodically controlled by microcomputer).				
ELECTRODE MATERIAL	Platinum-plated Titanium				

SAFETY PRECAUTIONS For your own safety, be sure to observe the following precautions

⚠ WARNING

- Please read the Operation Manual carefully, and then use according to instructions.
- Pay attention to the following points before consuming ionized alkaline water (KANGEN WATER) produced by the water production unit.
 - (1) Do not take medicine with KANGEN WATER.
 - (2) Those who have anoxia problem should not take KANGEN WATER.
 - (3) Those who are feeling some abnormality after drinking KANGEN WATER, or those who don't show any improvement in symptoms even after regular use of it, should consult a doctor or a pharmacist before continuing consumption of KANGEN WATER.
- Those who are under a doctor's care, or those who are feeling some abnormality in the body, should consult a doctor or a pharmacist before drinking KANGEN WATER.
- Those who have sensitive skin or allergies should consult a doctor or a pharmacist before use of Acidic Water as an astringent.
- Those who are feeling discomfort or irritation with Acidic Water for skin care, please discontinue use and consult a doctor.

⚠ CAUTION

- Those who drink it for the first time.
- We would recommend you to start drinking it at lower pH level of pH8.5 with a daily consumption of 1~2 glasses of it a day continued for about 2 weeks to get used to Kangen water. Then, gradually increase the pH level.
- In case some rash or the like has appeared after drinking it.
- A person who has allergic reaction to some food may experience rash or similar symptoms. Discontinue drinking it, and consult a doctor.
- All the goods described in this catalogue should be used only in USA.
- Use municipally treated water with drinking safe quality. (Tap water or the like)

- The standard prices of the merchandise described in this catalog do not include sales tax, transportation charges, fees for repairs or installation and replacement charges.
- The specifications or appearance of the product are subject to manufacturer's improvements without prior notice.
- Please be aware of that actual product may differ slightly in color, etc from that seen in print.
- For more information about the product, please inquire with the sales dealer in your district or area.
- Every product has an accompanying warranty card, which shall be filled in and issued by the Representative Sales Firm. Please check the contents and keep it in safe place for later use during the period of warranty.



Enagic Osaka Plant is a plant that obtained their certification ISO 9001: 2000 ISO14001: 2004.

Distributor

Enagic USA, Inc.

1515 West 190th Street, Suite 535, Gardena, California 90248 USA
TEL : 310-532-9000 FAX : 310-532-9010

● For inquiries regarding installation, maintenance and operation of product:
Customer Support Center

Toll-Free 1-866-261-9500

Pre-recorded message on Saturdays, Sundays and Holidays

PRINTED, 2005 JUNE